




Glass Front



Infrared



Standard



PRODUCT CATALOG




SAWO
SAUNA

Control panel with red indicator light

Table of CONTENTS

Sauna Rooms	04	Customized Sauna Room	18
Health Benefits of the Sauna	05	Infrared Sauna Room	19
Glass Front Sauna Room	06	Optional Items	20
Standard Sauna Room	10	Sauna Accessories	21
Options (Windows and Walls)	14	Sauna Heaters & Controls	22
Exploded Drawing	16	Steam Generators	23

A modern, bright interior featuring a glass-enclosed sauna room on the left. The sauna has a wooden interior with a heater and a glass door. To the right, a large window with a wooden frame offers a view of a tropical beach with palm trees and the ocean. A potted plant sits on the floor near the window. A white text box is overlaid on the right side of the image.

Sauna Rooms

Calm your nerves and relief your stress with the pleasant heat of the *authentic Finnish sauna*! Designed with Finnish know-how, each of the components of the SAWO sauna room is well-engineered in that they are heatproof, well-ventilated, and energy efficient.



Health Benefits of the Sauna

Medical research shows that regular sauna bathing has several health benefits for the body. These are:

- Increases energy levels
- Releases stress and tension
- Induces a deeper, more relaxing sleep
- Beneficial for mild cases of hypertension
- Relieves nasal, sinus, and chest congestion
- Flushes out harmful toxins through your pores
- Accelerates muscle recovery following heavy exercise
- Reduces aches and pains in joints by removing lactic acid
- Combined with exfoliating, it helps to remove accumulated dead skin
- Improves blood circulation by raising body temperatures and heart rate
- Increases your metabolic rate, which helps boost recovery after an illness
- Sauna bathing opens the pores on the skin and helps to remove harmful toxins and other impurities from the body.
- Temperatures between 70-90 helps to kill viruses and bacteria which cannot survive in higher-than-normal body temperatures.



Glass Front Sauna Room

Designed to capture the view of the lovely Finnish landscapes, glass front sauna rooms have clear tempered glasses on the front to enjoy the view.



- Reversible benches, heater location, and door opening
- Clear tempered glass front
- Vertical door handle
- Stainless metal legs as bench support
- Easy to assemble modular sauna room
- With wiring provisions

! Sauna rooms are sold as a set including heaters and accessories

 Cedar (D)  Aspen (A)  Pinaceae (PC)

Glass Front


Type of Models



RS/LS
Right / Left Door w/ Straight
Classic Bench Design **24**
kinds

RL/LL
Right / Left Door w/ L-Type
Classic Bench Design **4**
kinds

MrL/MiL
Middle Door w/ L-Type Classic
Bench Design at Right / Left **8**
kinds



MS
Middle Door w/ Straight Classic
Bench Design **9**
kinds

MD
Middle Door w/ Double Straight Classic
Bench Design **2**
kinds




GLASS FRONT SAUNA ROOMS


1414RS
INT. VOL.: 3.38 m³
NRNS 4,5kW




1414LS
INT. VOL.: 3.38 m³
NRNS 4,5kW




1415RS
INT. VOL.: 3.38 m³
NRNS 4,5kW




1415LS
INT. VOL.: 3.38 m³
NRNS 4,5kW




1419MS
INT. VOL.: 4.14 m³
NRNS 4,5kW




1419RS
INT. VOL.: 4.14 m³
NRNS 4,5kW




1419LS
INT. VOL.: 4.14 m³
NRNS 4,5kW




1420MS
INT. VOL.: 4.61 m³
NRNS 6,0kW




1420RS
INT. VOL.: 4.61 m³
NRNS 6,0kW




1420LS
INT. VOL.: 4.61 m³
NRNS 6,0kW




1515RS
INT. VOL.: 3.92 m³
NRNS 4,5kW




1515LS
INT. VOL.: 3.92 m³
NRNS 4,5kW



1519MS
INT. VOL.: 5.34 m³
NRNS 6,0kW




1519RS
INT. VOL.: 5.34 m³
NRNS 6,0kW




1519LS
INT. VOL.: 5.34 m³
NRNS 6,0kW




1520MS
INT. VOL.: 5.34 m³
NRNS 6,0kW




1520RS
INT. VOL.: 5.34 m³
NRNS 6,0kW




1520LS
INT. VOL.: 5.34 m³
NRNS 6,0kW



1522MS
INT. VOL.: 5.88 m³
NRNS 6,0kW




1522RS
INT. VOL.: 5.88 m³
NRNS 6,0kW




1522LS
INT. VOL.: 5.88 m³
NRNS 6,0kW




1919RS
INT. VOL.: 5.88 m³
TH4-WL 6,0kW




1919LS
INT. VOL.: 5.88 m³
TH4-WL 6,0kW



1919MS
INT. VOL.: 5.88 m³
TH4-WL 6,0kW




1919MrL
INT. VOL.: 5.88 m³
TH4-WL 6,0kW



1919MiL
INT. VOL.: 5.88 m³
TH4-WL 6,0kW



1920MS
INT. VOL.: 6.55 m³
TH4-WL 6,0kW





















SAUNA ROOM CODING STRUCTURE

00	00	M	S	C
HEIGHT	WIDTH	DOOR LOCATION	BENCH DESIGN	ROOM TYPE

DOOR LOCATION
L = Left
M = Middle
R = Right

BENCH DESIGN
D = Double Straight
L = L-type
S = Straight
rL = L-type at Right
lL = L-type at Left

1920RSINT. VOL.: 6,55 m³
TH4-WL 6,0KW**1920LS**INT. VOL.: 6,55 m³
TH4-WL 6,0KW**1920MrL**INT. VOL.: 6,89 m³
TH4-WL 6,0KW**1920MiL**INT. VOL.: 6,89 m³
TH4-WL 6,0KW**1922RS**INT. VOL.: 7,21 m³
TH4-WL 6,0KW**1922LS**INT. VOL.: 7,21 m³
TH4-WL 6,0KW**1922MS**INT. VOL.: 7,21 m³
TH4-WL 8,0KW**1922MrL**INT. VOL.: 7,21 m³
TH4-WL 8,0KW**1922MiL**INT. VOL.: 7,21 m³
TH4-WL 8,0KW**2020RS**INT. VOL.: 6,55 m³
TH4-WL 6,0KW**2020LS**INT. VOL.: 6,55 m³
TH4-WL 6,0KW**2020MS**INT. VOL.: 6,55 m³
TH4-WL 6,0KW**2020MrL**INT. VOL.: 6,55 m³
TH4-WL 6,0KW**2020MiL**INT. VOL.: 6,55 m³
TH4-WL 6,0KW**2022RL**INT. VOL.: 7,21 m³
TH4-WL 8,0KW**2022LL**INT. VOL.: 7,21 m³
TH4-WL 8,0KW**2022MD**INT. VOL.: 7,21 m³
TH4-WL 8,0KW**2222RL**INT. VOL.: 7,28 m³
TH4-WL 8,0KW**2222LL**INT. VOL.: 7,28 m³
TH4-WL 8,0KW**2222MD**INT. VOL.: 7,21 m³
TH4-WL 8,0KW**SAUNA ROOM CODING STRUCTURE**

00	00	M	S	C
LENGTH	WIDTH	DOOR LOCATION	BENCH DESIGN	ROOM TYPE

DOOR LOCATION

L = Left
M = Middle
R = Right

BENCH DESIGN

D = Double Straight
L = L-type
S = Straight
rL = L-type at Right
lL = L-type at Left



Standard Sauna Room

Standard sauna rooms are designed with a touch of Finnish traditions and know-how. Each material has its own distinctive characteristics which differentiates it from others.

The interior designs available for standard sauna rooms are Wave, Piano, and Classic designs.


Over 50 different layouts with recommended heaters; select your ideal sauna!

! Sauna rooms are sold as a set including heaters and accessories

-  Cedar (D)
-  Aspen (A)
-  Pinaceae (PC)

Standard


Type of Models



RS/LS

Right / Left Door w/ Straight
Classic Bench Design


28
kinds



RL/LL

Right / Left Door w/ L-Type
Classic Bench Design


18
kinds



MS

Middle Door w/ Straight
Classic Bench Design

1
kind



MD


Middle Door w/ Double Straight
Classic Bench Design

3
kinds




STANDARD SAUNA ROOMS


1214RS
INT. VOL.: 2.46 m³
MX 3.0KW




1214LS
INT. VOL.: 2.42 m³
MX 3.0KW




1215RS
INT. VOL.: 2.94 m³
MX 3.0KW




1215LS
INT. VOL.: 2.94 m³
MX 3.0KW




1414RS
INT. VOL.: 3.38 m³
MX 3.0KW




1414LS
INT. VOL.: 3.38 m³
MX 3.0KW




1415RS
INT. VOL.: 3.58 m³
MX 3.6KW




1415LS
INT. VOL.: 3.58 m³
MX 3.6KW



1515RS
INT. VOL.: 3.92 m³
MN 3.6KW



1515LS
INT. VOL.: 3.92 m³
MN 3.6KW




1515RL
INT. VOL.: 3.92 m³
MN 3.6KW




1515LL
INT. VOL.: 3.92 m³
MN 3.6KW




1419RS
INT. VOL.: 4.44 m³
SCA 4.5KW




1419LS
INT. VOL.: 4.44 m³
SCA 4.5KW




1420RS
INT. VOL.: 4.01 m³
NRN 4.5KW




1420LS
INT. VOL.: 4.01 m³
NRN 4.5KW




1519RS
INT. VOL.: 4.80 m³
NRN 6.0KW




1519LS
INT. VOL.: 4.80 m³
NRN 6.0KW




1519RL
INT. VOL.: 4.80 m³
NRN 6.0KW




1519LL
INT. VOL.: 4.80 m³
NRN 6.0KW




1520RS
INT. VOL.: 5.34 m³
NRN 6.0KW




1520LS
INT. VOL.: 5.34 m³
NRN 6.0KW




1520RL
INT. VOL.: 5.34 m³
NRN 6.0KW




1520LL
INT. VOL.: 5.34 m³
NRN 6.0KW




1522RS
INT. VOL.: 5.88 m³
NRN 6.0KW




1522LS
INT. VOL.: 5.88 m³
NRN 6.0KW



1522RL
INT. VOL.: 5.88 m³
NRN 6.0KW



1522LL
INT. VOL.: 5.88 m³
NRN 6.0KW



























SAUNA ROOM CODING STRUCTURE

00	00	M	S	C
LENGTH	WIDTH	DOOR LOCATION	BENCH DESIGN	ROOM TYPE

DOOR LOCATION
L = Left
M = Middle
R = Right

BENCH DESIGN
D = Double Straight
L = L-type
S = Straight

1919RSINT. VOL.: 9,98 m³
NRN 6,0kW**1919LS**INT. VOL.: 9,98 m³
NRN 6,0kW**1919RL**INT. VOL.: 9,98 m³
NRN 6,0kW**1919LL**INT. VOL.: 9,98 m³
NRN 6,0kW**1920RS**INT. VOL.: 6,55 m³
NRN 8,0kW**1920LS**INT. VOL.: 6,55 m³
NRN 8,0kW**1920RL**INT. VOL.: 6,55 m³
NRN 8,0kW**1920LL**INT. VOL.: 6,55 m³
NRN 8,0kW**1922RL**INT. VOL.: 7,21 m³
NRN 8,0kW**1922LL**INT. VOL.: 7,21 m³
NRN 8,0kW**1922MS**INT. VOL.: 7,21 m³
NRN 8,0kW**1922MD**INT. VOL.: 7,21 m³
SCA 8,0kW**2020RS**INT. VOL.: 6,55 m³
NRN-PRO 8,0kW**2020LS**INT. VOL.: 6,55 m³
NRN-PRO 8,0kW**2020RL**INT. VOL.: 6,55 m³
NRN-PRO 8,0kW**2020LL**INT. VOL.: 6,55 m³
NRN-PRO 8,0kW**2022RS**INT. VOL.: 7,23 m³
NRN-PRO 8,0kW**2022LS**INT. VOL.: 7,23 m³
NRN-PRO 8,0kW**2022RL**INT. VOL.: 7,23 m³
NRN-PRO 8,0kW**2022LL**INT. VOL.: 7,23 m³
NRN-PRO 8,0kW**2022MD**INT. VOL.: 7,23 m³
SCA 8,0kW**2222RL**INT. VOL.: 7,23 m³
NRN-PRO 8,0kW**2222LL**INT. VOL.: 7,23 m³
NRN-PRO 8,0kW**2222MD**INT. VOL.: 7,23 m³
SCA 8,0kW**SAUNA ROOM
CODING STRUCTURE**

00	00	M	S	C
LENGHT	WIDTH	DOOR LOCATION	BENCH DESIGN	ROOM TYPE

DOOR LOCATION

L = Left
M = Middle
R = Right

BENCH DESIGN

D = Double Straight
L = L-type
S = Straight

Options



Bronze Color




Glass with grille



Clear Glass

Extra Glass Windows

- Sizes
 - 600 x 1800mm
 - 600 x 900mm
 - 400 x 750mm
- Glass Window with Grille
- Bronze or Clear Glass




Soapstone Walls

- 1m or less

Corner Walls

- 400 x 750mm

Exploded Drawing



Vertical Handle (Metal Accent)

code: 560-D
size: 165 x 900mm
wood: Cedar / Aspen

Sauna Light Cover

code: 917-D
size: 207 x 280mm
wood: Cedar / Aspen



Sauna Light

code: 820
size: 135 x 75mm



Wooden Pail

code: 341-MD
capacity: 3L
wood: Cedar / Aspen /
Pinaceae



Stainless Steel Ladle


code: 442-MA
size: 40cm
wood: Cedar / Aspen /
Pinaceae



Stainless Steel Integration Collar

code: TH-COLLAR-ST2
size: (w)460 x (D)460 x (H)45mm





Ventilation Louver

code: 631-D
size: \varnothing 145mm
wood: Cedar / Aspen / Pinaceae
ducting hole: 100mm



Thermo-Hygrometer

code: 225-THD
size: 180 x 180mm
wood: Cedar / Aspen /
Pinaceae



Rectangular Innova SST Interface Holder

code: INN-IH21-D
size: (W)25 x (D)215 x (H)140mm



Wood Panels

Cedar Wood Panel
Aspen Wood Panel
Pinaceae Wood Panel



Tower Round Heater

code: TH3-60NB
size: 260 x 260 x 1300mm

Tower Round Heater Guard

code: TH-GUARD-W2-D
size: 510 x 270 x 210mm
wood: Cedar / Aspen



Customized Sauna Room

Can't find a suitable sauna from standard models? No worries! Our skillful and talented sauna specialists can help you design and fabricate the sauna of your dreams. Send us your plans or start sauna creation from the beginning with the SAWO team and be ready to be amazed!

SAWO sauna specialists will assist in designing your personalized or tailor-made sauna rooms from start to finish.

! Sauna rooms are sold as a set including heaters and accessories

 Cedar (D)  Aspen (A)  Pine (PC)



Model: 1933RL



Model: 1824




Model: 2029RLC

Infrared Sauna Room


Infrared saunas are heated with fiber-coated infrared panels. Feel the fullness of well-being in gentle IR wave therapy.

- Session time: 1–60mins
- Packing: Wooden crate
- Adjustable base support
- Modern LED lights (12W)
- Pre-installed exhaust fan (18W)
- 230V 1N~ plug-and-play installation
- Control: temperature, session time, lights, and fan
- Fiber-coated far infrared panels (170W / panel)
- 2 different sizes: 1-person sauna (1200 W) or 2-person sauna (1400 W)

 Cedar (D)



Item Code: 0908-IR CEDAR



Item Code: 1111-IR CEDAR

Optional Items



Infrared Panel

- Fiber-coated infrared panel
- Ready to connect
- Spare part for infrared sauna rooms



Infrared Control

- Simple and easy to use
- Temperature setting 35–70 °C
- Session time up to 60 mins
- Fan Control
- Light switch



Infrared Backrest

- Generates far-infrared heat, which penetrates deeper into your body to soothe muscles, burn fats, detoxifies and relaxes body
- Aspen or Cedar wood
- Adjustable headrest
- Strong nylon strap
- AC power plug
- On/Off switch

Sauna Accessories



Compliment your sauna with the best accessories. **SAWO** has a wide range of sauna accessories including thermometers, hygrometers, pails, clocks, headrests, and many more.



Thermo-Hygrometer

code: 224-THPC | THA | THD
size: 255 x 140mm
wood: Pinaceae | Aspen | Cedar



Pails

code: 340-PC | A | D
capacity: 4L
wood: Pinaceae | Aspen | Cedar



Ladles

code: 445-MPC | MA | MD
size: 465mm
wood: Pinaceae | Aspen | Cedar



Sandtimers

code: 551-PC | A | D
size: 65 x 340mm
wood: Pinaceae | Aspen | Cedar



Headrests

code: 512-A | D | BL
size: 180 x 230mm
wood: Aspen | Cedar | Black



Sauna Heaters & Controls

A heater is the heart of the sauna.

A perfect sauna is a room that has a proper combination of steam and heat. This is achieved through a concise heater selection that corresponds to the volume of the sauna room. Arranged are SAWO's high-class heaters.

Heaters are operated by a built-in or a separate control. Built-in controls are attached to the heater's body with a timer and temperature setting command.

From the control selection, you will find stylish and practical choices for both residential and commercial sauna rooms.

Using a separate control with SAWO heaters will let you decide what type of sauna experience you will have. Control features such as temperature, humidity, time, use of fan and light dimmer, or even save energy with a power consumption counter. There is also a keypad lock to prevent children and unauthorized people from changing the settings.

Heaters



SAWO30 Round NS



Aries Wall NS



Scandia NS



Mini Fibercoated NB



Mini X NB

Controls

Built-in Control



Separate Controls



Saunova 2.0



Innova Classic 2.0



Innova
Stainless Steel Touch

Steam Generators



Steam generators produce mild and soft steam for steam rooms. Steam bathing has the same health effect on the body similar to the sauna.

SAWO is also a producer of high-quality steam generators. STE-W is noted for its simple and on-the-go-to-use notion. STN-W steam generators can sustain long hours of operation. They are recommended for frequently used steam rooms such as commercial spas. Both steam generators have their own controls that are loaded with functions that bathers will enjoy.


STN-S Steam Generators



STN Steam Generators



STN-W Steam Generators



STE Steam Generators





www.sauna.ph

MANILA:

📍 La Huerta Village Center,
Multinational Avenue,
Multinational Village,
Parañaque City 1704, Philippines
☎️ (02) 8550 1046
✉️ sales@sauna.ph

CEBU:

📍 MEZ2 Estate, Basak,
Lapu-lapu City 6015, Cebu Philippines
☎️ (032) 341 2233
✉️ sales@sauna.ph

24/7 HOTLINE #: 0912 400 0000